

Rubber Snowplow Blades

(725 PSI Tensile)

Specifications

August 2021

Description:

Rubber snowplow blades are a sturdy sheet product designed for use as a flap and wiper. Rubber blades are flexible and elastic, therefore absorb impact, shock, and conform easily to the road surface. Rubber will reduce damage to the plow surface, making it the ideal choice for use on residential concrete, parking garages, brick, pavers, cobblestone, or any other uneven surface.

Compound:

Blend of SBR/GUM.

Color:

Black

Weight:

Approximate weight per square foot: 1" weighs 9 lbs.

Durometer:

65-75 Shore A

Temperature Range:

-20 F to 212 F

Minimum Tensile:

725 PSI or 5 MPA

Finish:

Smooth

Minimum Elongation:

400%

Gauges:

3/4, 1, 1.5 inch (custom gauges up to 2" thick are available upon request)

Widths:

4, 6, 8, 10, 12 inch (custom widths up to 78" are available upon request)

Roll Length:

50 feet

Chemical Resistance:

Good resistance to Ethanol, Formaldehyde, Glycerin, Sea Water, Boric Acid, and Chlorine Solutions.

Noise Reduction:

Rubber cutting edges are far quieter in operation than metal blades.


Cost Efficiency:

Rubber cutting edges are 60% to 80% cheaper than polyurethane or metal blades. The variety of stocked gauges offers a variety of price points.

Availability:

Generally in stock.

California Prop 65:


 **WARNING:** Cancer and Reproductive Harm -
www.P65Warnings.ca.gov.

Specifications and/or prices are subject to change without prior notice.

© 2021 Rubber-Cal all rights reserved.

18424 Mt Langley St,
Fountain Valley, CA 92708
800-370-9152

www.rubbercal.com



Rubber Cal